

Dino Swing

M980



Item no. M98001-3917

General Product Information

Dimensions LxWxH	316x471x314 cm
Age group	6+
Play capacity (users)	3
Color options	●



The Dino Swing attracts children like a magnet. The multiple directions in swinging high together, make the children return for more play, time and time again. The tyre seat has room for more children to be seated or standing while swinging. This makes the seat versatile. The whirling swing movements of the Dino swing train the child's sense of balance and

space. These motor skills are fundamental for body awareness and spatial judgement, for instance when navigating street traffic securely. Swinging the tyre of the Dino Swing trains major muscle groups, and jumping off builds up bone density. Swinging with peers and friends trains important social skills such as turn-taking and negotiation. The soothing or wild swing

movements support risk-taking judgement skills. The movements cause both thrill, laughter and relaxation. The Dino Swing helps build friendships in play.



Dino Swing

M980



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

Play activities like the play spheres are made of injection moulded high quality UV stabilised nylon (PA6). Nylon has good wearing and impact strength.

Chains are stainless steel and meet the requirements in ISO1434 -ISO1435 and DIN766.



Item no. M98001-3917	
Installation Information	
Max. fall height	170 cm
Safety surfacing area	51.5 m ²
Total installation time	6.2
Excavation volume	3.02 m ³
Concrete volume	0.00 m ³
Footing depth (standard)	108 cm
Shipment weight	625 kg
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	



Unique designed 360-degree rotating swing hanger made of stainless steel. The moving parts of the swing hanger is lifetime sealed and lubricated. The hanger system is equipped with a safety chain to prevent the swing hanger to fall down if damaged.



The multiuser seat is made of a brand new rubber car tire with an outer diameter of 58cm/23.





Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
M98001-3917	725.40	1.18	20.30

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Validation of CO₂ calculation of: Freestanding play equipment



Data version no. 2021-09-27

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 15. October 2021 | Valid until: 15. October 2023

Validated by:

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of CO₂ calculation of 8 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

Publication date: 15. October 2021

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000





Dino Swing

M980

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)