

Double Somersault

NRO808



Item no. NRO808-1001	
General Product Information	
Dimensions LxWxH	224x72x150 cm
Age group	
Play capacity (users)	2
Colour options	



The Double Somersault Bars are great old school playground favorites. They are irresistible to children and their parents. The Double Somersault encourages cooperation and sharing, in two varied heights. They accommodate more users and different age and ability levels. The Double Somersault caters for a range of play activities such as hanging in

arms and swaying, which trains upper body muscles. Sitting on the bars with friends supports sharing and social-emotional skills. Somersaulting on the Double Somersault trains children's proprioception: the awareness of where body parts are and how to coordinate movements to fit a space. It trains the senses of space and balance, too, allowing the child to

be able to navigate the surroundings securely. Last, but not least, it is great training of major muscles.



Double Somersault

NRO808



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).

The turnbars are made of high-quality stainless steel to ensure durability of the product.

The Robinia wood can be supplied as untreated raw wood or painted with a brown colored transparent pigment that maintains the golden wood color of the wood.



Item no. NRO808-1001	
Installation Information	
Max. fall height	111 cm
Safety surfacing area	19,8 m ²
Total installation time	2,7
Excavation volume	0,21 m ³
Concrete volume	0,04 m ³
Footing depth (standard)	100 cm
Shipment weight	109 kg
Anchoring options	In-ground ✓
Warranty Information	
Robinia Wood	15 years
Stainless steel components	Lifetime
Stainless steel components	Lifetime
Spare parts guaranteed	10 years





Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO808-1001	61,40	0,71	2,20

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Validation of CO₂ calculation of: Nature play



Data version no. 2021-09-27

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621. (Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 15. October 2021 | Valid until: 15. October 2023

Validated by:

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of CO₂ calculation of 8 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

Publication date: 15. October 2021

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000




Double Somersault


NRO808

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



NRO808
* 4'-11" / 150cm
** 4'-11" / 150cm
*** 213.1ft² / 19.8m²
1/8" = 1'-0"



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)