


Agility Trail 9


NRO854



Item no. NRO854-1001

General Product Information

Dimensions LxWxH	465x999x273 cm
Age group	6+
Play capacity (users)	12
Color options	 



The Parkour 4 is a hugely appealing play piece. It is exactly what 6-12 year olds want; a trim trail that's fun. The variation in climbing, crawling and balancing activities will make children come back again and again. The many inclined, twisted and vertical nets and the different mesh directions make great play challenges. Climbing or crawling up, down and

through the big meshes hugely stimulates coordination and proprioception. Both are skills necessary to navigate the world confidently and achieving physical confidence. The rubber disc seating points and inclined beams are great for meeting and exchanging, the bouncy and inclined character of these elements make them a constant balance and muscle trainer,

even when seated. When climbing through the Parkour 4 children train their cooperation and turn-taking skills which can be hard to teach, but can be easily learned through play.



Agility Trail 9

NRO854



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.



Full coloured EPDM rubber seats with smooth surface. The seats are moulded on a hot dip galvanised steel inlay that ensures durable fixation to the rope.

Item no. NRO854-1001	
Installation Information	
Max. fall height	257 cm
Safety surfacing area	62.0 m ²
Total installation time	11.4
Excavation volume	4.07 m ³
Concrete volume	0.39 m ³
Footing depth (standard)	106 cm
Shipment weight	617 kg
Anchoring options	In-ground ✓
Warranty Information	




The hardware is made of stainless steel or galvanised steel to ensure durable connections with a high corrosion resistance.



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.





Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO854-1001	487.00	0.99	4.70
NRO854-1001	487.00	0.99	4.70

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Validation of CO₂ calculation of: Nature play



Data version no. 2021-09-27

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621. (Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 15. October 2021 | Valid until: 15. October 2023

Validated by:

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of CO₂ calculation of 8 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

Publication date: 15. October 2021

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000





Agility Trail 9

NRO854

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)