



# Zipline, Flat Space

NRO877



Item no. NRO877-1001	
<b>General Product Information</b>	
Dimensions LxWxH	3360x368x396 cm
Age group	
Play capacity (users)	1
Colour options	



The Large Zipline is the ultimate daredevil attraction, and it is also appealing to those who are working toward building new skills. With its length and supportive seat and handhold, anyone can participate. And they'll come back for more again and again. The reason for this immense holding power lies mainly in the terrific thrill of gliding through the air. The

feeling of weightlessness and swooshing through the air trains spatial awareness as well as the child's understanding of gravity, space and speed. This is necessary in safely managing crowded spaces such as traffic and streets. Children also develop social skills as they diligently pass the seat to the next user in line. The running and pulling involved in this

trains the child's cardio as well as upper body muscles. All in all, the Large Zipline is an asset of play that unites generations and abilities as there is some way for almost everyone to use it.

# Zipline, Flat Space

NRO877



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).




The steel surfaces are hot-dip galvanized inside and outside with lead-free zinc. The galvanization has excellent corrosion resistance in outside environments and requires minimal maintenance.




The special designed seat is made of a stainless-steel insert covered with a soft layer of PUR rubber. The seat is impact tested to fulfill all global playground standards and the rope has an ergonomic handhold of a 100cm long molded on PUR rubber handle.


Item no. NRO877-1001	
Installation Information	
Max. fall height	100 cm
Safety surfacing area	139,2 m <sup>2</sup>
Total installation time	9,9
Excavation volume	6,85 m <sup>3</sup>
Concrete volume	2,15 m <sup>3</sup>
Footing depth (standard)	100 cm
Shipment weight	588 kg
Anchoring options	In-ground ✓
Warranty Information	
Robinia Wood	15 years
Hot dip galvanized steel	Lifetime
Rubber seat	2 years
Cable	10 years
Spare parts guaranteed	10 years



The high-quality steel cable with a diameter of 12mm is designed for heavy usage of the cableway for many years. The starting point is indicated by a knob. At the stop point there is special designed spring device ensuring a softer stop of the puller.




The steel cable 3 is tensioned by a special designed device. By turning the handle 1 the steel cable can be tensioned according to instruction in a safe way. After tensioning the cable is locked by three clamps 2. The tensioning device can also be used for adjustment during annual inspections.



KOMPAN cableways are available for flat or natural sloped surroundings and for surface or in-ground installation. Further the cableways can be supplied with one or two cables for children to ride together in friendly competition.





Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
NRO877-1001	725,50	1,42	21,80

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
 C.F. Tietgens Boulevard 32C  
 DK-5220 Odense SØ  
 Denmark



### Validation of CO<sub>2</sub> calculation of: Nature play



Data version no. 2021-09-27

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621. (Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 15. October 2021 | Valid until: 15. October 2023**

Validated by:

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of CO<sub>2</sub> calculation of 8 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

**Publication date: 15. October 2021**

By Bureau Veritas HSE  
 www.bureauveritas.dk  
 +45 7731 1000





# Zipline, Flat Space

NRO877



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)