

Swing Frame for 5 seats

NRO925

KOMPANI
Let's play



Item no. NRO925-0901

General Product Information

Dimensions LxWxH	1071x219x290 cm
Age group	2+
Play capacity (users)	-
Color options	

A harmonic design of play frames attract attention. Swinging in a stable, solid framework increases the feeling of security and thus increases the force, concentration and energy that the child dare put into swinging. The more stable, the more play intensity. So children will come back to enjoy the archaic experience of swinging, again and again, benefiting their

development of balance and coordination. Adding more seats in a swing frame motivates and enhances social play and cooperation.



Swing Frame for 5 seats

NRO925

Item no. NRO925-0901	
Installation Information	
Max. fall height	0 cm
Safety surfacing area	0.0 m ²
Total installation time	11.9
Excavation volume	2.38 m ³
Concrete volume	0.70 m ³
Footing depth (standard)	88 cm
Shipment weight	890 kg
Anchoring options	In-ground ✓
Warranty Information	



Swing Frame for 5 seats

NRO925



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO925-0901	374.20	0.58	1.20
NRO925-0901	374.20	0.58	1.20

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Validation of CO₂ calculation of: Nature play



Data version no. 2021-09-27

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621. (Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 15. October 2021 | Valid until: 15. October 2023

Validated by:

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of CO₂ calculation of 8 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

Publication date: 15. October 2021

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





Swing Frame for 5 seats

NRO925

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



NRO925
**290cm
***0m²

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)