

# Duikelring

PCM80821



Item nummer	
Algemene Product Informatie	
Afmetingen LxBxH	227x199x210 cm
Leeftijdsgroep	4+
Speelcapaciteit	6
Kleuropties	●



The Somersault Ring is a variant of the great classic playground favourite of somersault bars. It is irresistible to children and their parents, repeatedly. The Somersault Ring makes cooperation and sharing in multiple heights fun. They accommodate more users, and different age and ability levels. The Somersault Ring caters for a range of play


activities, hanging by the arms, climbing, swaying, training the upper body and core muscles. Sitting on the bars with friends, sharing, using social-emotional skills. Or, somersaulting. Somersaulting on the Somersault Ring trains children's proprioception: the awareness of where body parts are and how to coordinate movements to

master movement in space. It trains the senses of space and balance, too, making the child able to navigate their surroundings securely.



# Duikelring

PCM80821



Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 100% post-consumer recycled PE and textile waste.

De stalen oppervlakken zijn van binnen en buiten thermisch verzinkt met loodvrij zink. Het verzinken heeft een uitstekende corrosiebestendigheid in de buitenlucht en vereist weinig onderhoud.

Item nummer	
Installatie informatie	
Max. valhoogte	198 cm
Veiligheidszone	23,1 m <sup>2</sup>
Totale installatietijd	
Graafwerk (vol.)	
Benodigd beton	
Verankeringsdiepte	
Verzendingsgewicht	
Verankeringsopties	Oppervlak ✓ In-ground ✓
Garantie informatie	
Gegalvaniseerd staal	Levenslang
Staander	10 jaar
Gegarandeerde reserveonderdelen	10 jaar





Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
 C.F. Tietgens Boulevard 32C  
 DK-5220 Odense SØ  
 Denmark



### Validation of CO<sub>2</sub> calculation of: Freestanding play equipment



Data version no. 2021-09-27

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 15. October 2021 | Valid until: 15. October 2023**

**Validated by:**

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of CO<sub>2</sub> calculation of 8 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

**Publication date: 15. October 2021**

**By Bureau Veritas HSE**  
 www.bureauveritas.dk  
 +45 7731 1000





# Duikelring

PCM80821

Max. valhoogte | Totale Hoogte | Veiligheidszone

Max. valhoogte | Totale Hoogte



[Bekijk BOVENAANZICHT](#)

[Bekijk ZIJAANZICHT](#)