


Inclusive Seat, H:2.0m, 4-Chain

SW990207

Item no.	
General Product Information	
Dimensions LxWxH	0x0x0 cm
Age group	6+
Play capacity (users)	1
Colour options	



Of all the play activities, swinging is a favorite: children love it, as it can be done individually and together for hours and days. The seat is universal design, welcoming users of all ages and abilities. Swinging, apart from being tremendous fun, trains the children's balance and coordination, as well as their spatial awareness. These motor skills are crucial for

being able to judge distances and navigate the body securely through street traffic. Swinging additionally trains the arm, leg and core muscles. It is a fundamental bonding activity for those pushing the swing into motion and those seated securely in it. The soothing and swinging motions support social-emotional development of among others daring, empathy

and turn taking.



Data is subject to change without prior notice.

Inclusive Seat, H:2.0m, 4-Chain

SW990207

Item no.	
Installation Information	
Max. fall height	0 cm
Safety surfacing area	0.0 m ²
Total installation time	
Excavation volume	
Concrete volume	
Footing depth (standard)	
Shipment weight	
Anchoring options	
Warranty Information	



Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Validation of CO₂ calculation of: Freestanding play equipment



Data version no. 2021-09-27

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 15. October 2021 | Valid until: 15. October 2023

Validated by:

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of CO₂ calculation of 8 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

Publication date: 15. October 2021

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Inclusive Seat, H:2.0m, 4-Chain

SW990207

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)